

## 10 Table Saw Jigs:



Miter Fence



Cut-Off Sled



Miter Sled



Tenoning Jig



Outfeed Roller



Featherboard



Zero-Clearance Insert



Rip Jig



Tenoning Jig



Push Block

Use the Timer for recharging batteries.

For dull bits: Use 325 grit paddles for dull and 600 grit paddles for touch up

Glue shelf life is 8 to 12 months ONLY... Buy small quantities. Do not freeze.

For caulk: Use a spoon or commercial caulk spreader, varied sizes for bead sizes.

Self Squaring Frame jig



Inverted Belt Sander Jig



### Shop Duster

Here's a simple trick to help keep your workshop clean and dust free. Placing this homemade dust collector behind your workpiece will help stop much of your dust before it becomes airborne. A standard furnace filter, fitted to the back of a box fan, will help keep your dust problems under control. You can hold it in place with large rubber bands, straps, or a permanent home made frame.



This simple jig will help you keep your workshop clean and organized. These dividers are easy to build from scrap 3/4" plywood. They simply slip into place without any hardware and can be moved in an instant.

The dividers pictured on this page were designed to be used on a 3/4" (nominal) thick x 12" deep shelf. If your shelf is a different thickness simply cut the slit 1/16" larger.

